



Customer and Order Information

Purchase Order *	Tag	v.0101
Dealer/Provider Name *		
Purchaser Name and Contact Information *		
Shipping Address *		
User Information (if available)	Weight _____ lbs	Height _____ ft/in
		*required

Base Chair

Bentley LT 20° Manual Tilt Wheelchair

<input checked="" type="checkbox"/>	2401000	Bentley 20° Manual Tilt Wheelchair	\$ 4,200
<input checked="" type="checkbox"/>	2401009	Lightweight Aluminum Frame Upgrade Aluminum Frame is not recommended for agitated users.	\$ 300
<input type="checkbox"/>	i Choose the standard Bentley with a steel frame for agitated or heavier users. See separate order form.		

Weight Capacity

<input checked="" type="checkbox"/>	2402000	250 lbs Chair Weight Capacity						
User Weight Range Required for setup of tilt uplift force.								
<input type="checkbox"/>	2402430	Up to 75 lbs	<input type="checkbox"/>	2402431	75 lbs to 100 lbs	<input type="checkbox"/>	2402432	100 lbs to 115 lbs
<input type="checkbox"/>	2402433	115 lbs to 150 lbs	<input type="checkbox"/>	2402434	150 lbs to 200 lbs	<input type="checkbox"/>	2402435	200 lbs to 250 lbs

Frame Options

<input type="checkbox"/>	2402300	Transit Tie Down System (TTDS)
TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RESNA WC 19. See Owners Manual for complete details.		

Seat Width

Overall chair width is +9.5" with 12/16" Rear Wheels and +10.5" with 20/22/24" Rear Wheels.

Standard Seat Widths								
<input type="checkbox"/>	2403014	14" Seat Width	<input type="checkbox"/>	2403015	15" Seat Width	<input type="checkbox"/>	2403016	16" Seat Width
<input type="checkbox"/>	2403017	17" Seat Width	<input type="checkbox"/>	2403018	18" Seat Width	<input type="checkbox"/>	2403019	19" Seat Width
<input type="checkbox"/>	2403020	20" Seat Width	<input type="checkbox"/>	2403021	21" Seat Width	<input type="checkbox"/>	2403022	22" Seat Width

Seat Depth

Standard Seat Depths (Adjustable)								
<input type="checkbox"/>	2404016	16" Seat Depth	<input type="checkbox"/>	2404017	17" Seat Depth	<input type="checkbox"/>	2404018	18" Seat Depth
<input type="checkbox"/>	2404019	19" Seat Depth	<input type="checkbox"/>	2404020	20" Seat Depth			
Custom Seat Depths								
<input type="checkbox"/>	2404021	21" Seat Depth	<input type="checkbox"/>	2404022	22" Seat Depth			\$ 400

Frame Color

PDG Premium Colors								
<input type="checkbox"/>	2405000	Tracer Red	<input type="checkbox"/>	2405001	Gloss Black Shimmer	<input type="checkbox"/>	2405002	Silver
<input type="checkbox"/>	2405003	Fine Texture Black	<input type="checkbox"/>	2405004	Orange Fusion	<input type="checkbox"/>	2405005	Karl's Imagination
<input type="checkbox"/>	2405006	Blue Shimmer	<input type="checkbox"/>	2405007	Gloss White	<input type="checkbox"/>	2405008	Dark Titanium
<input type="checkbox"/>	2405009	Geysir Green	<input type="checkbox"/>	2405010	Lollypop Blue	<input type="checkbox"/>	2405011	Lollypop Red
<input type="checkbox"/>	2405012	Bubble Gum Pink	<input type="checkbox"/>	2405013	Berry Purple	<input type="checkbox"/>	2405014	Daffodil Yellow
<input type="checkbox"/>	2405200	Custom Color Contact PDG for specifications.						\$ 300

Armrests

2406000 **No Armrests**

Height Adjustable Armrests (Single Post) \$ 295

2406111 8"-11" 2406114 10"-14"

2406100 **Fixed Height Armrests (12")** Full Length Armpad only.

Armrest Height If provided, Armrests will be set to this height by PDG. If left blank, the default setting will be used.
 Seat Pan to top of Armrest: _____ Does not include height of Armpad

Armrest Position Indicate preference for Armrest position. If left blank, the default setting will be used.
 In the interest of maintaining chair stably and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.

2406401 Rear 2406402 Mid 2406403 Front

Armpads

Regular Armpads

2407100 Desk Length - 2" x 10" 2407101 Full Length - 2" x 14"

Waterfall Armpads \$ 115

2407105 Desk Length - 2" x 10" 2407106 Full Length - 2" x 14"

Wide Armpads May interfere with wheels in some tilt configurations. \$ 200

2407110 Desk Length - 3" x 10" 2407111 Full Length - 3" x 12"

Gel Armpads May interfere with wheels in some tilt configurations. \$ 135

2407120 Full Length - 2" x 12" 2407121 Full Length - 3.5" x 12"

Contour Arm Trough with Hand Pad May interfere with wheels in some tilt configurations. \$ 125

2407130 Right (4.5" x 18") 2407131 Left (4.5" x 18")

Armrest Options

2407210 **Armrest Wideners** Move Armrests outward by 1" on each side. Do not increase seat size. \$ 195

2407310 **Clothing Guards** Available for 10"-14" Height range only. \$ 110

Seat Pan

2408000 **No Seat Pan**

2408001 **Solid Aluminum Seat Pan** \$ 135

Seat Height

Don't forget **Select desired Seat-to-Floor Height** STF Height is adjustable within the range of the chosen Subframe Plate (Low/High).

6" Casters	Low						High						
	RW	13"	14"	15"	16"	17"	RW	15"	16"	17"	18"	19"	20"
12"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	12"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20"	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22"		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22"		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

8" Casters	Low						High						
	RW	13"	14"	15"	16"	17"	RW	15"	16"	17"	18"	19"	20"
16"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Casters

Urethane Casters

8" Casters are compatible only with 16" and 24" Rear Wheels.

<input type="checkbox"/>	2411061	6" x 1.25" Caster size	<input type="checkbox"/>	2411081	8" x 1.25" Caster size	
<input type="checkbox"/>	2411063	6" x 1.50" Caster size				\$ 85
<input type="checkbox"/>	2411084	8" x 2.00" Caster size				\$ 135

Pneumatic Casters

8" Casters are compatible only with 16" and 24" Rear Wheels.

<input type="checkbox"/>	2411161	6" x 1.25" Caster size				\$ 110
<input type="checkbox"/>	2411181	8" x 1.25" Caster size				\$ 120
<input type="checkbox"/>	2411184	8" x 2.00" Caster size				\$ 150

<input type="checkbox"/>	2411260	Frog Legs 6" x 1.50" Aluminum Soft-Roll Casters				\$ 275
--------------------------	---------	--------------------------------------------------------	--	--	--	--------

<input type="checkbox"/>	2411400	Frog Legs Suspension Forks	Not compatible with 12" Rear Wheels. Requires 6" Soft-Roll Caster.			\$ 695
--------------------------	---------	-----------------------------------	--------------------------------------------------------------------	--	--	--------

Rear Wheels

Composite Wheels

<input type="checkbox"/>	2412012	12" Wheel size	<input type="checkbox"/>	2412016	16" Wheel size	<input type="checkbox"/>	2412020	20" Wheel size
<input type="checkbox"/>	2412022	22" Wheel size	<input type="checkbox"/>	2412024	24" Wheel size			

Spoke Wheels

\$ 75

<input type="checkbox"/>	2412120	20" Wheel size	<input type="checkbox"/>	2412122	22" Wheel size	<input type="checkbox"/>	2412124	24" Wheel size
--------------------------	---------	----------------	--------------------------	---------	----------------	--------------------------	---------	----------------



Rear Wheel Position

Indicate Rear Wheel positioning preference. If left blank, the default setting will be used.

In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.

<input type="checkbox"/>	2412401	Rear	<input type="checkbox"/>	2412402	Mid	<input type="checkbox"/>	2412403	Front
--------------------------	---------	------	--------------------------	---------	-----	--------------------------	---------	-------

Axle Type

<input type="checkbox"/>	2413000	Quick Release Rear Axles
<input type="checkbox"/>	2413010	Fixed Rear Axles

Rear Tires

<input type="checkbox"/>	2414000	Urethane Tires		
<input type="checkbox"/>	2414010	Pneumatic Tires	May result in a finished Seat Height 1/2" greater than stated.	
<input type="checkbox"/>	2414020	Pneumatic Tires with Flat-Free Inserts	May result in a finished Seat Height 1/2" greater than stated. Not available with Spoke Wheels.	

Handrims

Handrims are only available with 20", 22", and 24" Rear Wheels.

<input type="checkbox"/>	2415000	No Handrims	
<input type="checkbox"/>	2415010	Standard Aluminum Handrims	
<input type="checkbox"/>	2415020	Plastic Coated Handrims	\$ 150

Wheel Locks & Brakes

User Wheel Locks

<input type="checkbox"/>	2416010	Push to Lock	<input type="checkbox"/>	2416020	Pull to Lock
<input type="checkbox"/>	2416030	Attendant Wheel Locks (Push to Lock)			\$ 85
<input type="checkbox"/>	2416040	User & Attendant Wheel Locks	Available with 20", 22", or 24" Rear Wheels only. Not compatible with Drum Brakes.		
<input type="checkbox"/>	2416300	Drum Brakes	Dual trigger activation (right/left side activated independently). Available with 20" Rear Wheels only.		

Wheel Lock Options

<input type="checkbox"/>	2416100	Wheel Lock Extensions	Not compatible with Attendant Wheel Lock.		\$ 60
<input type="checkbox"/>	2416200	Hill Holders	Requires Pneumatic Rear Tires with Flat-Free Inserts.		\$ 450

Anti-Tippers

<input checked="" type="checkbox"/>	2417010	Rear Anti-Tippers	Required Safety Option.		\$ 75
-------------------------------------	---------	--------------------------	-------------------------	--	-------

Back Posts

Back Post Style

2418010 Push Bar Back

Back Post Height Measured from the Seat Pan to the Handle.

2418425 Short (22") 2418431 Tall (25")

Seat to Back Angle

2419090 Set at 90° 2419098 Set at 98° 2419106 Set at 106°
 2419114 Set at 114° 2419122 Set at 122°

Back Options

Angle/Height Adjustable Push Bar Handle Not compatible with Headrest Mounting Plate.

\$ 150

2419010 Button on Outside 2419011 Button on Inside

10" Backrest Extension Requires the Angle/Height Adjustable Push Bar Handle.

\$ 195

Headrest Mounting Plate

\$ 95

Not compatible with Backrest Extension, Angle/Height Adjustable Push Bar. Not required if mounting to a solid Back.

2419220 **Fold Down Back** Not compatible with Reclining Back.

Back Upholstery

2420000 **No Back Upholstery**

Standard Upholstery Not available with Cane Handle Back.

\$ 265

2420418 Short (18" Height) 2420421 Regular (21" Height) 2420424 Tall (24" Height)

2420450 **Tension Adjustable Upholstery** Height of Upholstery is 16". Not available with Cane Handle Back.

\$ 365

Position of Upholstery Select the desired position of the top of the Upholstery relative to the Seat Pan.

Style	22" Back Post								
	17"	18"	19"	20"	21"	22"	23"	24"	25"
Short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Regular				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Tension Adj			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			

Style	25" Back Post								
	17"	18"	19"	20"	21"	22"	23"	24"	25"
Short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Regular				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tall							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tension Adj			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Tilt Activation

Attendant Tilt only Select trigger mounting location below.

2423011 Right Back Post 2423012 Left Back Post

User Tilt only Full Length Arm Pads only. Select trigger mounting location below.

\$ 100

2423021 Right Armrest 2423022 Left Armrest

Attendant & User Tilt Full Length Arm Pads only. Select trigger mounting locations below.

\$ 195

2423031 Right Back Post 2423032 Left Back Post

2423041 Right Armrest 2423042 Left Armrest

Tilt Trigger Extension

\$ 50

2423400 **Power Tilt** 250 lbs Weight Capacity. 20° tilt range. Includes 2 batteries for off-chair charging. pdgmobility.com/power-tilt

\$ 2,095

Minimum Seat Width is 15". Power Tilt is compatible with either O2 Holder or IV Pole on the same chair, not both.

Toggle Switch 2423421 Installed on Right side 2423422 Installed on Left side
 Button Switch 2423431 Installed on Right side 2423432 Installed on Left side
 Stealth Egg Switch 2423440 Not installed

Optional for Egg Switch: 2423445 Swing Away Mounting Hardware Not compatible with all Headrest makes and models.

\$ 625

Specify Headrest to be used: _____

Recline

<input type="checkbox"/>	2423310	Reclining Backrest (Manual)		\$ 895
30° maximum recline. Not compatible with Backrest Extension, Cane Handle Back, Spring Back Suspension, Fold Down Back, Tension Adjustable Upholstery, Dynamic Rocker Back. Requires longer Frame. Maximum Seat Depth is 19". Finished Back Post Height is 3" taller than selected Back Post Height.				

Front Rigging

<input type="checkbox"/>	2425000	No Front Rigging	<input type="checkbox"/>	2425001	Sector Blocks only		
Easy-Out™ Front Rigging Effortless insertion and removal. No Hanger Bracket remains on frame. pdgmobility.com/easy-out							
<input type="checkbox"/>	2425410	Fixed 70°					\$ 95
<input type="checkbox"/>	2425420	Universal Angle Adjustable (0°-110°)	Set at angle: _____ (use increments of 10°)				\$ 295
Adjust angle by loosening one bolt. Tool-free leg-length adjustment. Front Rigging can interfere with casters in the 90-110° settings.							
Swing Away Front Rigging Legacy Design. Not compatible with Easy-Out.							
<input type="checkbox"/>	2425130	Swing Away 60°	<input type="checkbox"/>	2425140	Swing Away 70°		
<input type="checkbox"/>	2425200	Swing Away Elevating Legrests	Includes Calf Pads.				\$ 375
<input type="checkbox"/>	2425300	1" Offset Hangers for Swing Away					\$ 75
<input type="checkbox"/>	2425110	Standard Plug In 70° Front Rigging	Legacy Design. Not compatible with Easy-Out.				


Footplates

<input type="checkbox"/>	2426010	Composite Footplates					
<input type="checkbox"/>	2426020	Aluminum Angle Adjustable Footplates					\$ 165
<input type="checkbox"/>	2426030	One Piece Fixed Footplate	Available on Plug In Front Rigging only. Requires selection of Composite or Aluminum Angle Adjustable.				\$ 350
<input type="checkbox"/>	2426040	One Piece Flip-up Footplate	Requires selection of Composite or Aluminum Angle Adjustable.				\$ 395
<input type="checkbox"/>	2426050	Interlocking Angle Adjustable Footplates	Available for Seat Widths up to 21" only.				\$ 195

Footrest/Legrest Accessories

Calf Pads Not compatible with Gel Padding.							
<input type="checkbox"/>	2427012	For Easy-Out™ Front Rigging	Includes reinforced premium Calf Pad mount.				\$ 200
<input type="checkbox"/>	2427010	For Swing Away Front Rigging					\$ 135
<input type="checkbox"/>	2427020	Gel Padding	Not compatible with Calf Pad or Easy-Out Front Rigging.				\$ 125
Gel Knee Pads							
<input type="checkbox"/>	2427032	For Easy-Out™ Angle Adjustable Front Rigging					\$ 200
<input type="checkbox"/>	2427030	For Swing Away ELR Front Rigging					\$ 100
<input type="checkbox"/>	2427040	Length Adjustable Heel Loops					\$ 50
<input type="checkbox"/>	2427050	Bodypoint Padded Calf Strap					\$ 195

Front Rigging Extension Tubes

Regular Extension Tubes							
<input type="checkbox"/>	2428010	Short	14"-18" for Easy-Out Front Rigging	13"-17" for Swing Away and Standard Plug In Front Rigging			
<input type="checkbox"/>	2428020	Long	18"-24" for Easy-Out Front Rigging	15"-19" for Swing Away and Standard Plug In Front Rigging			\$ 75
	Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used.						
Seat Pan to Foot Plates: _____ Measured along the length of the Front Rigging. Consider the height of your Seat Cushion.							



BENTLEY LT

Order Form - Distributor

Prices in Canadian Dollars. January 1, 2022

Miscellaneous Options

One-Arm Drive Requires 24" Composite Wheels with Urethane Tires. 18" STF minimum. Limits tilt. Not compatible with User & Attendant Wheel Locks, Drum Brakes, Quick Release Rear Axles.		\$ 3,500
<input type="checkbox"/> 2430010	Installed on Right side	<input type="checkbox"/> 2430011
Spoke Guards Available for 20"-24" Composite Rear Wheels. Made from durable and lightweight aluminum.		\$ 235
<input type="checkbox"/> 2430020	Black	<input type="checkbox"/> 2430021
Protective Lower Padding		\$ 995
<input type="checkbox"/> 2430080	Gel Hip Guides Reduces available Seat Width by 2".	\$ 495
<input type="checkbox"/> 2430110	IV Pole Not compatible with Attendant Wheel Locks. Requires frame modification and cannot be added to chair later.	\$ 345
<input type="checkbox"/> 2430120	O2 Holder Not compatible with Attendant Wheel Locks. Requires frame modification and cannot be added to chair later.	\$ 495
<input type="checkbox"/> 2430170	Adhesive Back Hook Strip, 2" x 30" For Cushion mounting.	\$ 10

On-Chair Seating & Positioning

 Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobility.com/seating

Order Notes

Please send your completed order form by email to info@pdgmobility.com or by fax to 877 323 9093.