



Customer and Order Information

Purchase Order *	Tag	v.0119
Dealer/Provider Name *		
Purchaser Name and Contact Information *		
Shipping Address *		
User Information (if available)	Weight _____ lbs	Height _____ ft/in
		*required

Base Chair

Stellar Impact 45° Manual Tilt Wheelchair Extended delivery lead times may apply.

<input checked="" type="checkbox"/> 2301000	Stellar 45° Manual Tilt Wheelchair	\$ 4,200
<input checked="" type="checkbox"/> 2301201	Reinforced Frame Package Ultra-durable steel reinforcement of frame for highly agitated users.	\$ 1,095
<input type="checkbox"/> Choose the Stellar GL or the Stellar HD for users over 250 lbs. Custom reinforcement available. See separate order forms.		

Weight Capacity

<input checked="" type="checkbox"/> 2302000	250 lbs Chair Weight Capacity
---	--------------------------------------

Frame Options

<input type="checkbox"/> 2302200	Extended Base with Rear Floor Jacks Lifts Rear Wheels off ground for increased stability. Limited ground clearance. Not compatible with Attendant Wheel Lock, HD Anti-Tipper, IV Pole, O2 Holder.	\$ 900
<input type="checkbox"/> 2302300	Transit Tie Down System (TTDS) TTDS includes 4 factory-installed transport brackets. See Owners Manual for complete details.	\$ 250

Seat Width

Overall chair width is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW

Standard Seat Widths

<input type="checkbox"/> 2303014	14" Seat Width	<input type="checkbox"/> 2303015	15" Seat Width	<input type="checkbox"/> 2303016	16" Seat Width
<input type="checkbox"/> 2303017	17" Seat Width	<input type="checkbox"/> 2303018	18" Seat Width	<input type="checkbox"/> 2303019	19" Seat Width
<input type="checkbox"/> 2303020	20" Seat Width	<input type="checkbox"/> 2303021	21" Seat Width	<input type="checkbox"/> 2303022	22" Seat Width

Seat Depth

Standard Seat Depths (Adjustable)

<input type="checkbox"/> 2304017	17" Seat Depth	<input type="checkbox"/> 2304018	18" Seat Depth	<input type="checkbox"/> 2304019	19" Seat Depth
<input type="checkbox"/> 2304020	20" Seat Depth				
Custom Seat Depths					
<input type="checkbox"/> 2304021	21" Seat Depth	<input type="checkbox"/> 2304022	22" Seat Depth	\$ 400	

Frame Color

PDG Premium Colors

<input type="checkbox"/> 2305000	Tracer Red	<input type="checkbox"/> 2305001	Gloss Black Shimmer	<input type="checkbox"/> 2305002	Silver
<input type="checkbox"/> 2305003	Fine Texture Black	<input type="checkbox"/> 2305004	Orange Fusion	<input type="checkbox"/> 2305005	Karl's Imagination
<input type="checkbox"/> 2305006	Blue Shimmer	<input type="checkbox"/> 2305007	Gloss White	<input type="checkbox"/> 2305008	Dark Titanium
<input type="checkbox"/> 2305009	Geysir Green	<input type="checkbox"/> 2305010	Lollipop Blue	<input type="checkbox"/> 2305011	Lollipop Red
<input type="checkbox"/> 2305012	Bubble Gum Pink	<input type="checkbox"/> 2305013	Berry Purple	<input type="checkbox"/> 2305014	Daffodil Yellow
<input type="checkbox"/> 2305200	Custom Color	Contact PDG for specifications.			\$ 300

Armrests

2306000 **No Armrests**

Single Post Height Adjustable Armrests \$ 295

2306111 8"-11" Range 2306114 10"-14" Range

Dual Post Height Adjustable Armrests \$ 295

2306211 8"-11" Range 2306214 10"-14" Range 2306216 12"-16" Range

Fixed Height Armrests (12") Full Length Armpad only.

2306100 Single Post 2306200 Dual Post

Armrest Height If provided, Armrests will be set to this height by PDG. If left blank, the default setting will be used.
 Seat Pan to top of Armrest: _____ Does not include height of Armpad

Armrest Position Indicate preference for Armrest position. If left blank, the default setting will be used.
 In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.

2306401 Rear 2306402 Mid 2306403 Front

Armpads

Regular Armpads

2307100 Desk Length - 2" x 10" 2307101 Full Length - 2" x 14"

Waterfall Armpads \$ 115

2307105 Desk Length - 2" x 10" 2307106 Full Length - 2" x 14"

Wide Armpads May interfere with wheels in some tilt configurations. \$ 200

2307110 Desk Length - 3" x 10" 2307111 Full Length - 3" x 12"

Gel Armpads May interfere with wheels in some tilt configurations. \$ 135

2307120 Full Length - 2" x 12" 2307121 Full Length - 3.5" x 12"

Contour Arm Trough with Hand Pad May interfere with wheels in some tilt configurations. \$ 125

2307130 Right (4.5" x 18") 2307131 Left (4.5" x 18")

Armrest Options

Armrest Wideners Move Armrests outward by 1" on each side. Do not increase seat size.

2307210 For Single Post Armrests May cause tilt interference at lower Seat Height and/or Seat Depth settings. \$ 195

2307220 For Dual Post Armrests Limits tilt. Not compatible with 20", 22", or 24" Rear Wheels, Clothing Guards. \$ 375

Clothing Guards Not compatible with Flip-up Armrests, Armrest Wideners.

2307310 For Single Post Armrests Available for 10"-14" Height range only. \$ 110

2307320 For Dual Post Armrests \$ 165

Armrest Extensions Not compatible with Flip-up or Single Post Armrests. \$ 75

2307400 3" Extension - Forward 2307401 3" Extension - Rearward

Seat Pan

2308000 **No Seat Pan**

2308001 **Solid Aluminum Seat Pan** \$ 135

Seat Height

Don't forget **Select desired Seat-to-Floor Height** STF Height is adjustable.

		6" Casters							
RW		14"	15"	16"	17"	18"	19"	20"	21"
12"		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
16"				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20"		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
22"			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
24"				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

		8" Casters							
RW		14"	15"	16"	17"	18"	19"	20"	21"
16"				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24"				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Casters

Urethane Casters 8" Casters are compatible only with 16" and 24" Rear Wheels.

<input type="checkbox"/>	2311061	6" x 1.25" Caster size	<input type="checkbox"/>	2311081	8" x 1.25" Caster size	
<input type="checkbox"/>	2311063	6" x 1.50" Caster size				\$ 85
<input type="checkbox"/>	2311084	8" x 2.00" Caster size				\$ 135

Pneumatic Casters 8" Casters are compatible only with 16" and 24" Rear Wheels.

<input type="checkbox"/>	2311161	6" x 1.25" Caster size				\$ 110
<input type="checkbox"/>	2311181	8" x 1.25" Caster size				\$ 120
<input type="checkbox"/>	2311184	8" x 2.00" Caster size				\$ 150

<input type="checkbox"/>	2311260	Frog Legs 6" x 1.50" Aluminum Soft-Roll Casters				\$ 275
--------------------------	---------	--	--	--	--	--------

<input type="checkbox"/>	2311400	Frog Legs Suspension Forks	Not compatible with 12" Rear Wheels. Requires 6" Soft-Roll Caster.			\$ 695
--------------------------	---------	-----------------------------------	--	--	--	--------

Rear Wheels

Composite Wheels

<input type="checkbox"/>	2312012	12" Wheel size	<input type="checkbox"/>	2312016	16" Wheel size	<input type="checkbox"/>	2312020	20" Wheel size
<input type="checkbox"/>	2312022	22" Wheel size	<input type="checkbox"/>	2312024	24" Wheel size			

Spoke Wheels

<input type="checkbox"/>	2312120	20" Wheel size	<input type="checkbox"/>	2312122	22" Wheel size	<input type="checkbox"/>	2312124	24" Wheel size	\$ 75
--------------------------	---------	----------------	--------------------------	---------	----------------	--------------------------	---------	----------------	-------

<input type="checkbox"/>	2312224	24" Heavy Duty Spoke Wheels						\$ 350
--------------------------	---------	------------------------------------	--	--	--	--	--	--------



Rear Wheel Position Indicate Rear Wheel positioning preference. If left blank, the default setting will be used.

In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.

<input type="checkbox"/>	2312401	Rear	<input type="checkbox"/>	2312402	Mid	<input type="checkbox"/>	2312403	Front
--------------------------	---------	------	--------------------------	---------	-----	--------------------------	---------	-------

Axle Type

<input type="checkbox"/>	2313000	Quick Release Rear Axles
--------------------------	---------	---------------------------------

<input type="checkbox"/>	2313010	Fixed Rear Axles
--------------------------	---------	-------------------------

Rear Tires

<input type="checkbox"/>	2314000	Urethane Tires			
--------------------------	---------	-----------------------	--	--	--

<input type="checkbox"/>	2314010	Pneumatic Tires	May result in a finished Seat Height 1/2" greater than stated.			\$ 60
--------------------------	---------	------------------------	--	--	--	-------

<input type="checkbox"/>	2314020	Pneumatic Tires with Flat-Free Inserts	May result in a finished Seat Height 1/2" greater than stated. Not available with Spoke Wheels.			\$ 95
--------------------------	---------	---	---	--	--	-------

Handrims

Handrims are available only with 20", 22", and 24" Rear Wheels.

<input type="checkbox"/>	2315000	No Handrims
--------------------------	---------	--------------------

<input type="checkbox"/>	2315010	Standard Aluminum Handrims
--------------------------	---------	-----------------------------------

<input type="checkbox"/>	2315020	Plastic Coated Handrims	\$ 150
--------------------------	---------	--------------------------------	--------

Wheel Locks and Brakes

User Wheel Locks

<input type="checkbox"/>	2316010	Push to Lock	<input type="checkbox"/>	2316020	Pull to Lock
--------------------------	---------	--------------	--------------------------	---------	--------------

<input type="checkbox"/>	2316030	Attendant Wheel Locks (Push to Lock)	\$ 85
--------------------------	---------	---	-------

<input type="checkbox"/>	2316040	User & Attendant Wheel Locks	Available with 20", 22", or 24" Rear Wheels only.			\$ 125
--------------------------	---------	---	---	--	--	--------

<input type="checkbox"/>	2316300	Drum Brakes	Dual trigger activation (right/left side activated independently). Available with 20" Rear Wheels only.			\$ 995
--------------------------	---------	--------------------	---	--	--	--------

Wheel Lock Options

<input type="checkbox"/>	2316100	Wheel Lock Extensions	Not compatible with Attendant Wheel Lock.			\$ 60
--------------------------	---------	------------------------------	---	--	--	-------

<input type="checkbox"/>	2316200	Hill Holders	Requires Pneumatic Rear Tires with Flat-Free Inserts.			\$ 450
--------------------------	---------	---------------------	---	--	--	--------



Anti-Tippers		
<input checked="" type="checkbox"/>	2317010	Rear Anti-Tippers Required Safety Option. \$ 75
<input type="checkbox"/>	2317020	Front Anti-Tippers \$ 795
<input type="checkbox"/>	2317030	Heavy Duty Rear Anti-Tipper \$ 895
Provides additional rearward stability for users with excessive movement. Not compatible with Attendant Wheel Locks, Rear Floor Jacks, IV Pole, O2 Holder.		

Back Post		
Back Post Style		
<input type="checkbox"/>	2318010	Push Bar Back <input type="checkbox"/> 2318020 Cane Handle Back Not compatible with Headrest Mounting Plate.
Back Post Height Measured from the Seat Pan to the Handle.		
<input type="checkbox"/>	2318425	Short (22") <input type="checkbox"/> 2318431 Tall (25")
Seat to Back Angle		
<input type="checkbox"/>	2319090	Set at 90° <input type="checkbox"/> 2319098 Set at 98° <input type="checkbox"/> 2319106 Set at 106°
<input type="checkbox"/>	2319114	Set at 114° <input type="checkbox"/> 2319122 Set at 122°

Back Options		
Angle/Height Adjustable Push Bar Handle Not compatible with Headrest Mounting Plate or Cane Handle Back. \$ 150		
<input type="checkbox"/>	2319010	Button on Outside <input type="checkbox"/> 2319011 Button on Inside
<input type="checkbox"/>	2319210	10" Backrest Extension Not compatible with Angle/Height Adjustable Push Bar Handle. \$ 195
<input type="checkbox"/>	23219212	Headrest Mounting Plate \$ 95
Not compatible with Backrest Extension, Angle/Height Adjustable Push Bar, Cane Handle Back. Not required if mounting to a solid Back.		
<input type="checkbox"/>	2319220	Fold Down Back Not compatible with Reclining Back.
<input checked="" type="checkbox"/>	2319230	Spring Back Suspension Not compatible with Reclining Back.
<input type="checkbox"/>	2319240	Seating Dynamics Dynamic Rocker Back Interface \$ 2,995
Not compatible with Fold Down Back, Spring Back Suspension, 30° Recline, Cane Handle, Standard Upholstery. Finished Back Post Height is 4" taller than selected Back Post Height.		

Back Upholstery																																																																											
<input type="checkbox"/>	2320000	No Back Upholstery																																																																									
Standard Upholstery Not available with Cane Handle Back. \$ 265																																																																											
<input type="checkbox"/>	2320418	Short (18" Height) <input type="checkbox"/> 2320421 Regular (21" Height) <input type="checkbox"/> 2320424 Tall (24" Height)																																																																									
<input type="checkbox"/>	2320450	Tension Adjustable Upholstery Height of Upholstery is 16". Not available with Cane Handle Back. \$ 365																																																																									
Position of Upholstery Select the desired position of the top of the Upholstery relative to the Seat Pan.																																																																											
<table border="1" style="width: 100%;"> <thead> <tr> <th colspan="11">22" Back Post</th> </tr> <tr> <th>Style</th> <th>17"</th> <th>18"</th> <th>19"</th> <th>20"</th> <th>21"</th> <th>22"</th> <th>23"</th> <th>24"</th> <th>25"</th> <th></th> </tr> </thead> <tbody> <tr> <td>Short</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Regular</td> <td></td> <td></td> <td></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Tension Adj</td> <td></td> <td></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>										22" Back Post											Style	17"	18"	19"	20"	21"	22"	23"	24"	25"		Short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					Regular				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					Tension Adj			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>															
22" Back Post																																																																											
Style	17"	18"	19"	20"	21"	22"	23"	24"	25"																																																																		
Short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																					
Regular				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																					
Tension Adj			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																					
<table border="1" style="width: 100%;"> <thead> <tr> <th colspan="11">25" Back Post</th> </tr> <tr> <th>Style</th> <th>17"</th> <th>18"</th> <th>19"</th> <th>20"</th> <th>21"</th> <th>22"</th> <th>23"</th> <th>24"</th> <th>25"</th> <th></th> </tr> </thead> <tbody> <tr> <td>Short</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Regular</td> <td></td> <td></td> <td></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Tall</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>Tension Adj</td> <td></td> <td></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>										25" Back Post											Style	17"	18"	19"	20"	21"	22"	23"	24"	25"		Short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Regular				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tall							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tension Adj			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
25" Back Post																																																																											
Style	17"	18"	19"	20"	21"	22"	23"	24"	25"																																																																		
Short	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																	
Regular				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																	
Tall							<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																	
Tension Adj			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																	

Tilt Activation		
Attendant Tilt only Select trigger mounting location below.		
<input type="checkbox"/>	2323011	Right Back Post <input type="checkbox"/> 2323012 Left Back Post
User Tilt only Full Length Arm Pads only. Select trigger mounting location below. \$ 100		
<input type="checkbox"/>	2323021	Right Armrest <input type="checkbox"/> 2323022 Left Armrest
Attendant & User Tilt Full Length Arm Pads only. Select trigger mounting locations below. \$ 195		
<input type="checkbox"/>	2323031	Right Back Post <input type="checkbox"/> 2323032 Left Back Post
<input type="checkbox"/>	2323041	Right Armrest <input type="checkbox"/> 2323042 Left Armrest

See next page for more options >


<input type="checkbox"/>	2323110	Trigger Extension		\$	50
Tilt Limit Optional. If no tilt limit is selected, the full tilt range will be available.					
<input type="checkbox"/>	2323220	Set at 20°	<input type="checkbox"/>	2323230	Set at 30°
<input type="checkbox"/>			<input type="checkbox"/>	2323240	Set at 40°

Recline					
<input type="checkbox"/>	2323310	Reclining Backrest (Manual)		\$	895
30° maximum recline. Not compatible with Backrest Extension, Cane Handle Back, Spring Back Suspension, Fold Down Back, Tension Adjustable Upholstery. Finished Back Post Height is 3" taller than selected Back Post Height.					

Front Rigging					
<input type="checkbox"/>	2325000	No Front Rigging	<input type="checkbox"/>	2325001	Sector Blocks only
Easy-Out™ Heavy Duty Front Rigging Effortless insertion and removal. No Hanger Bracket remains on frame. pdgmobility.com/easy-out					
<input type="checkbox"/>	2325410	Fixed 70°		\$	95
<input type="checkbox"/>	2325420	Universal Angle Adjustable (0°-110°)	Set at angle: _____ (use increments of 10°)	\$	295
Adjust angle by loosening one bolt. Tool-free leg-length adjustment. Front Rigging can interfere with casters in the 90-110° settings.					
Swing Away Front Rigging Legacy Design. Not compatible with Easy-Out.					
<input type="checkbox"/>	2325130	Swing Away 60°	<input type="checkbox"/>	2325140	Swing Away 70°
<input type="checkbox"/>	2325200	Swing Away Elevating Legrests	Includes Calf Pads.	\$	375
<input type="checkbox"/>	2325300	1" Offset Hangers for Swing Away		\$	75
<input type="checkbox"/>	2325110	Standard Plug In 70°	Legacy Design. Not compatible with Easy-Out.		

Footplates					
<input type="checkbox"/>	2326010	Composite Footplates			
<input type="checkbox"/>	2326020	Aluminum Angle Adjustable Footplates		\$	165
<input type="checkbox"/>	2326030	One Piece Fixed Footplate	Available on Plug In Front Rigging only. Requires selection of Composite or Aluminum Angle Adjustable.	\$	350
<input type="checkbox"/>	2326040	One Piece Flip-up Footplate	Requires selection of Composite or Aluminum Angle Adjustable.	\$	395
<input type="checkbox"/>	2326050	Interlocking Angle Adjustable Footplates	Available for Seat Widths up to 21" only.	\$	195

Footrest/Legrest Accessories					
Calf Pads Not compatible with Gel Padding.					
<input type="checkbox"/>	2327012	For Easy-Out™ Front Rigging	Includes reinforced premium Calf Pad mount.	\$	200
<input type="checkbox"/>	2327010	For Swing Away Front Rigging		\$	135
<input type="checkbox"/>	2327020	Gel Padding	Not compatible with Calf Pad or Easy-Out Front Rigging.	\$	125
Gel Knee Pads					
<input type="checkbox"/>	2327032	For Easy-Out™ Angle Adjustable Front Rigging		\$	200
<input type="checkbox"/>	2327030	For Swing Away ELR Front Rigging		\$	100
<input type="checkbox"/>	2327040	Length Adjustable Heel Loops		\$	50
<input type="checkbox"/>	2327050	Bodypoint Padded Calf Strap	Sizes greater than 22" are not padded.	\$	195
Miller's Dynamic Footrest Mounts Not compatible with Easy-Out Front Rigging.					
<input type="checkbox"/>	2327060	For Standard Plug In Front Rigging		\$	445
<input type="checkbox"/>	2327065	For Swing Away 70° Front Rigging		\$	575

Front Rigging Extension Tubes					
Regular Extension Tubes					
<input type="checkbox"/>	2328010	Short	14"-18" for Easy-Out Front Rigging	13"-17" for Swing Away and Standard Plug In Front Rigging	
<input type="checkbox"/>	2328020	Long	18"-24" for Easy-Out Front Rigging	15"-19" for Swing Away and Standard Plug In Front Rigging	\$
Extra Strength Extension Tubes (Solid) Available on Plug In Front Rigging only. Not compatible with Easy-Out Front Rigging.					
<input type="checkbox"/>	2328110	Standard (13"-17")	<input type="checkbox"/>	2328120	Long (15"-19")
	Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used.				
Seat Pan to Foot Plates: _____			Measured along the length of the Front Rigging. Consider the height of your Seat Cushion.		



STELLAR IMPACT

Order Form - Distributor

Prices in Canadian Dollars. January 1, 2022

Miscellaneous Options

<input checked="" type="checkbox"/>	2330410	Strut Extension Damper	Required seat damper for improved rocking dynamics.	\$ 255
		Spoke Guards	Available for 20"-24" Composite Rear Wheels. Made from durable and lightweight aluminum.	\$ 235
<input type="checkbox"/>	2330020	Black	<input type="checkbox"/> 2330021 Frame Color	
<input type="checkbox"/>	2330050	Protective Lower Padding		\$ 995
<input type="checkbox"/>	2330080	Gel Hip Guides	Reduces available Seat Width by 2".	\$ 495
<input type="checkbox"/>	2330110	IV Pole	Not compatible with HD Anti Tipper, Rear Floor Jacks, Attendant Wheel Locks.	\$ 345
<input type="checkbox"/>	2330120	O2 Holder	Not compatible with HD Anti Tipper, Rear Floor Jacks, Attendant Wheel Locks.	\$ 495
<input type="checkbox"/>	2330170	Adhesive Back Hook Strip, 2" x 30"	For Cushion mounting.	\$ 10

On-Chair Seating & Positioning

	Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobility.com/seating			
--	---	--	--	--

Order Notes

Please send your completed order form by email to info@pdgmobility.com or by fax to 877 323 9093.