



FUZE T50n

Order Form - USA

Prices in U.S. Dollars. January 1, 2020

Customer and Order Information

Purchase Order *	Tag	v.0801
Dealer/Provider Name *		
Purchaser Name and Contact Information *		
Shipping Address *		
User Information (if available)	Weight _____ lbs	Height _____ ft/in *required

Frame Type

<input checked="" type="checkbox"/> 2601000	Fuze T50 50° Manual Tilt Wheelchair		<i>E1161</i>	\$ 2,995
<input checked="" type="checkbox"/> 2601008	Narrow Frame Upgrade (Fuze T50n)	Reduces overall chair width to seat width plus only 4".	<i>K0108</i>	\$ 200
The standard Fuze T50 offers additional options that are not available on the T50n. See separate order form.				

Frame Options

<input type="checkbox"/> 2602010	Fixed Base and Seat Frame	300 lbs Weight Capacity. Select Fixed Seat Width below.		
<input type="checkbox"/> 2602025	Adjustable Base and Seat Frame	250 lbs Weight Capacity. Select Adjustable Seat Width below.		\$ 100
<input type="checkbox"/> 2602300	Transit Tie Down System (TTDS)	TTDS includes 4 factory-installed transport brackets. TTDS has been tested according to ANSI/RESNA WC 19. See Owners Manual for complete details. Tested to max. Weight Capacity of 300 lbs.		

Seat Width

Overall chair width is +4.0" for 12" RW

Fixed Seat Widths Order with Fixed Base and Seat Frame.				
<input type="checkbox"/> 2603016	16" Seat Width	<input type="checkbox"/> 2603017	17" Seat Width	
<input type="checkbox"/> 2603018	18" Seat Width	<input type="checkbox"/> 2603019	19" Seat Width	
<input type="checkbox"/> 2603020	20" Seat Width	<input type="checkbox"/> 2603021	21" Seat Width	<i>E2201</i> \$ 350
<input type="checkbox"/> 2603022	22" Seat Width	<input type="checkbox"/> 2603023	23" Seat Width	<i>E2201</i> \$ 350
<input type="checkbox"/> 2603024	24" Seat Width			<i>E2202</i> \$ 550
Adjustable Seat Widths Order with Adjustable Base and Seat Frame.				
<input type="checkbox"/> 2603216	16"-19" Range - Set at 16"	<input type="checkbox"/> 2603217	16"-19" Range - Set at 17"	
<input type="checkbox"/> 2603218	16"-19" Range - Set at 18"	<input type="checkbox"/> 2603219	16"-19" Range - Set at 19"	
<input type="checkbox"/> 2603319	19"-20" Range - Set at 19"			
<input type="checkbox"/> 2603320	19"-20" Range - Set at 20"			<i>E2201</i> \$ 350

Seat Depth

Standard Seat Depths (Adjustable)				
<input type="checkbox"/> 2604015	15" Seat Depth	<input type="checkbox"/> 2604016	16" Seat Depth	<input type="checkbox"/> 2604017 17" Seat Depth
<input type="checkbox"/> 2604018	18" Seat Depth	<input type="checkbox"/> 2604019	19" Seat Depth	
<input type="checkbox"/> 2604020	20" Seat Depth			<i>E2203</i> \$ 500
Custom Seat Depths Requires Push Bar Back - Straight, Angle/Height Adjustable Push Bar. Not compatible with Reclining or Fold Down Back.				
<input type="checkbox"/> 2604021	21" Seat Depth			<i>E2203</i> \$ 500
<input type="checkbox"/> 2604022	22" Seat Depth			<i>E2204</i> \$ 750

Frame Color

PDG Premium Colors

- | | | |
|---|--|---|
| <input type="checkbox"/> 2605000 Tracer Red | <input type="checkbox"/> 2605001 Gloss Black Shimmer | <input type="checkbox"/> 2605002 Silver |
| <input type="checkbox"/> 2605003 Fine Texture Black | <input type="checkbox"/> 2605004 Orange Fusion | <input type="checkbox"/> 2605005 Karl's Imagination |
| <input type="checkbox"/> 2605006 Blue Shimmer | <input type="checkbox"/> 2605007 Gloss White | <input type="checkbox"/> 2605008 Dark Titanium |
| <input type="checkbox"/> 2605009 Geyser Green | <input type="checkbox"/> 2605010 Lollypop Blue | <input type="checkbox"/> 2605011 Lollypop Red |
| <input type="checkbox"/> 2605012 Bubble Gum Pink | <input type="checkbox"/> 2605013 Berry Purple | <input type="checkbox"/> 2605014 Daffodil Yellow |

2605200 **Custom Color** Contact PDG for specifications. \$ 300

Armrest Type

- 2606000 **No Armrests**
- 2606114 **Single Post Height Adjustable Armrests (10"-14")** E0973 \$ 275

2606100 **Single Post Fixed Height Armrests (12")** Full Length Armpad only.

Armrest Position Indicate preference for Armrest position. If left blank, the default setting will be used.

- 2606402 Mid 2606403 Front

Locking Flip-up Armrests Not recommended for users with excessive strength or tone. E0973 \$ 295
 Not compatible with Fold Down Back, Back Upholstery. Requires Regular Full Length Armpads.

- 2606310 Set at 10" 2606311 Set at 11" 2606312 Set at 12"
 2606313 Set at 13" 2606314 Set at 14"

Armpads & Armrest Options

2607095 **Curved Armpads** Not compatible with Lap Tray, Locking Flip-up Armrests.

Regular Armpads

- 2607100 Desk Length - 2" x 10" 2607101 Full Length - 2" x 14"

Wide Armpads May interfere with wheels in some tilt configurations. \$ 200

- 2607110 Desk Length - 3" x 10" 2607111 Full Length - 3" x 12"

Gel Armpads May interfere with wheels in some tilt configurations. \$ 135

- 2607120 Full Length - 2" x 12" 2607121 Full Length - 3.5" x 12"

Contour Arm Trough with Hand Pad E2209 \$ 125

Not compatible with Lap Tray, Locking Flip-up Armrests. May interfere with wheels in some tilt configurations.

- 2607130 Right (4.5" x 18") 2607131 Left (4.5" x 18")

Seat Pan

- 2608000 **No Seat Pan**
- 2608001 **Solid Aluminum Seat Pan** E2231 \$ 120

Seat Height

Don't forget **Select desired Seat-to-Floor Height** Circle below or select from the drop-down menus on the right.

Caster size	12" Rear Wheel				
5"	16"	17"			
6"	16"	17"	18"	19"	
8"	16"	17"	18"	19"	20"
6" Soft Roll	16"	17"	18"		

Caster Size _____

STF height _____

Casters

Urethane Casters

- | | | | | | | |
|----------------------------------|------------------------|----------------------------------|------------------------|----------------------------------|------------------------|--------|
| <input type="checkbox"/> 2611051 | 5" x 1.25" Caster size | <input type="checkbox"/> 2611061 | 6" x 1.25" Caster size | <input type="checkbox"/> 2611081 | 8" x 1.25" Caster size | |
| <input type="checkbox"/> 2611063 | 6" x 1.50" Caster size | | | | | \$ 85 |
| <input type="checkbox"/> 2611084 | 8" x 2.00" Caster size | | | | | \$ 135 |


Pneumatic Casters

- | | | | | | |
|----------------------------------|------------------------|--|--|--------------------------|--------|
| <input type="checkbox"/> 2611161 | 6" x 1.25" Caster size | | | <i>E2214 & E2215</i> | \$ 110 |
| <input type="checkbox"/> 2611181 | 8" x 1.25" Caster size | | | <i>E2214 & E2215</i> | \$ 120 |
| <input type="checkbox"/> 2611184 | 8" x 2.00" Caster size | | | <i>E2214 & E2215</i> | \$ 150 |

- | | | | | | |
|----------------------------------|---|-------------------------------|--|--------------|--------|
| <input type="checkbox"/> 1511260 | Frog Legs 6" x 1.40" Soft Roll Casters | | | | \$ 95 |
| <input type="checkbox"/> 1511400 | Frog Legs Suspension Forks | Requires 6" Soft Roll Caster. | | <i>E1015</i> | \$ 395 |

Rear Wheels

- 2612012 **12" Composite Wheels**

 **Rear Wheel Position** Indicate Rear Wheel positioning preference. If left blank, the default setting will be used.
In the interest of maintaining chair stability and avoiding interference with other chair functions, PDG may not be able to accommodate stated preference.

- | | | | | | |
|----------------------------------|------------------|----------------------------------|-----|----------------------------------|-------------------|
| <input type="checkbox"/> 2612401 | Rear More stable | <input type="checkbox"/> 2612402 | Mid | <input type="checkbox"/> 2612403 | Front Less stable |
|----------------------------------|------------------|----------------------------------|-----|----------------------------------|-------------------|

Axle Type

- 2613000 **Quick Release Rear Axles**
- 2613010 **Fixed Rear Axles**

Rear Tires

- | | | | |
|----------------------------------|---|--|--------------------------------|
| <input type="checkbox"/> 2614000 | Urethane Tires | | |
| <input type="checkbox"/> 2614010 | Pneumatic Tires | May result in a finished Seat Height 1/2" greater than stated. | <i>E2211 & E2212</i> \$ 60 |
| <input type="checkbox"/> 2614020 | Pneumatic Tires with Flat-Free Inserts | May result in a finished Seat Height 1/2" greater than stated. | <i>E2211 & E2213</i> \$ 95 |

Hand Rims

- 2615000 **No Handrims**

Wheel Locks

- | | | | |
|----------------------------------|---|--|--------------------|
| <input type="checkbox"/> 2616030 | Attendant Wheel Locks (Push to Lock) | | |
| <input type="checkbox"/> 2616005 | Foot Operated Wheel Lock | Rear-mounted unilateral single-activation lock. Compatible only with 19" and 20" STF Height. | \$ 595 |
| <input type="checkbox"/> 2616100 | Wheel Lock Extensions | | <i>E0961</i> \$ 60 |

Anti-Tippers

- 2617010 **Rear Anti-Tippers** Required Safety Option. *E0971* \$ 60

Back Post Style

Push Bar Back

- | | | | |
|----------------------------------|----------|--|-------|
| <input type="checkbox"/> 2618010 | Straight | | |
| <input type="checkbox"/> 2618030 | 8° Bend | | \$ 75 |

Cane Handle Back

Not compatible with Headrest Mounting Plate.

- | | | | |
|----------------------------------|----------|--|-------|
| <input type="checkbox"/> 2618020 | Straight | | |
| <input type="checkbox"/> 2618040 | 8° Bend | | \$ 75 |

Back Post Height

Please note: We have updated the descriptions/measurements below. The actual back post heights remain unchanged.

- | | | | | |
|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|---|
| <input type="checkbox"/> 2618420 | Short (17") <i>Previously 20"</i> | <input type="checkbox"/> 2618425 | Tall (23") <i>Previously 25"</i> | Measured from the Seat Pan to the Handle. |
|----------------------------------|-----------------------------------|----------------------------------|----------------------------------|---|

Back Options

2619000 **Angle/Height Adjustable Push Bar Handle** Not compatible with Headrest Mounting Plate or Cane Handle Back. \$ 150

2619010 Button on Outside 2619011 Button on Inside

2619050 **Removable Cane Handle Push Bar** Not compatible with Push Bar Back. \$ 140

Seat to Back Angle

2619090 Set at 90° 2619096 Set at 98° 2619102 Set at 106°

2619108 Set at 114° 2619114 Set at 122°

2619212 **Headrest Mounting Plate** \$ 95
Not compatible with Angle/Height Adjustable Push Bar, Cane Handle Back. Not required if mounting to a solid Back.

2619220 **Fold Down Back**

Back Upholstery

2620000 **No Back Upholstery**

2620000 **Standard Upholstery** Not available with Cane Handle Back. E2611 / E2612 \$ 195

2620418 Short (18" Height) 2620421 Regular (21" Height)

2620450 **Tension Adjustable Upholstery** Height of Upholstery is 16". Not available with Cane Handle Back. E2611 / E2612 \$ 295

Position of Upholstery Position of top of Upholstery relative to the Seat Pan. Circle below or select from the drop-down menu on the right.

Upholstery	17" Back Post							
Short	17"							

Upholstery	23" Back Post							
Short	17"	18"	19"	20"	21"	22"	23"	
Regular					21"	22"	23"	
Tension Adj				20"	21"	22"	23"	

Position _____

Tilt/Recline Options

2623011 **Attendant Tilt only** Select trigger mounting location below.

2623011 Right Back Post 2623012 Left Back Post

2623220 **Tilt Limit** Optional. If no tilt limit is selected, the full tilt range will be available.

2623220 Set at 20° 2623230 Set at 30° 2623240 Set at 40°

2623310 **Reclining Backrest (Manual)** E1225 \$ 895
30° maximum recline. Not compatible with Cane Handle Back, Fold Down Back. Not available with 21" or 22" Seat Depth.

2623400 **Power Tilt** 40° tilt range. Includes 2 batteries for off-chair charging. pdgmobility.com/power-tilt

2623400 250 lbs Weight Capacity E1002 \$ 2,295

2623401 300 lbs Weight Capacity Requires Fixed Base and Seat Frame E1002 \$ 2,595

Toggle Switch 2623421 Installed on Right side 2623422 Installed on Left side

Button Switch 2623431 Installed on Right side 2623432 Installed on Left side

Stealth Egg Switch 2623440 Not installed

Optional for Egg Switch: 2623445 Swing Away Mounting Hardware Not compatible with all Headrest makes and models. E1028 \$ 625

Specify Headrest to be used: _____

Front Rigging

2625000 **No Front Rigging** 2625001 **Sector Blocks only**

2625000 **Easy-Out™ Front Rigging** Effortless insertion and removal. No Hanger Bracket remains on frame. pdgmobility.com/easy-out

2625410 Fixed 70° \$ 95


2625420 Universal Angle Adjustable (0°-110°) Set at angle: _____ (use increments of 10°) \$ 295
Adjust angle by loosening one bolt. Tool-free leg-length adjustment.

See next page for more options >

Swing Away Front Rigging Legacy Design. Not compatible with Easy-Out. Requires pre-tilt of 5°.		
<input type="checkbox"/>	2625140 Swing Away 70°	
<input type="checkbox"/>	2625160 Swing Away 90° Includes 11"-16" Extension Tubes. Not compatible with 8" Casters.	\$ 75
<input type="checkbox"/>	2625200 Swing Away Elevating Legrests Includes Calf Pads.	<i>E0990</i> \$ 375
<input type="checkbox"/>	2625300 1" Offset Hangers for Swing Away	\$ 75
<input type="checkbox"/>	2625110 Standard Plug In 70° Front Rigging Legacy Design. Not compatible with Easy-Out.	

Footplates		
<input type="checkbox"/>	2626010 Composite Footplates	
<input type="checkbox"/>	2626020 Aluminum Angle Adjustable Footplates	<i>K0040</i> \$ 155
<input type="checkbox"/>	2626040 One Piece Flip-up Footplate Requires selection of Composite or Aluminum Angle Adjustable.	\$ 395
<input type="checkbox"/>	2626050 Interlocking Angle Adjustable Footplates Available for Seat Widths up to 21" only.	<i>K0040</i> \$ 195

Footrest/Legrest Accessories		
Calf Pad Not compatible with Gel Padding.		
<input type="checkbox"/>	2627012 For Easy-Out™ Front Rigging Includes reinforced premium Calf Pad mount.	\$ 200
<input type="checkbox"/>	2627010 For Swing Away Front Rigging	\$ 135
<input type="checkbox"/>	2627020 Gel Padding Not compatible with Calf Pad or Easy-Out Front Rigging.	\$ 125
Gel Knee Pad		
<input type="checkbox"/>	2627032 For Easy-Out™ Angle Adjustable Front Rigging	\$ 200
<input type="checkbox"/>	2627030 For Swing Away ELR Front Rigging	\$ 100
<input type="checkbox"/>	2627040 Length Adjustable Heel Loops	<i>E0951</i> \$ 50
<input type="checkbox"/>	2627050 Bodypoint Padded Calf Strap Sizes greater than 22" are not padded.	<i>K0038</i> \$ 195

Front Rigging Extension Tubes		
Regular Extension Tubes No selection required for 90° Front Rigging		
<input type="checkbox"/>	2628010 Short <u>14"-18"</u> for Easy-Out Front Rigging <u>13"-17"</u> for Swing Away and Standard Plug In Front Rigging	
<input type="checkbox"/>	2628020 Long <u>18"-24"</u> for Easy-Out Front Rigging <u>15"-19"</u> for Swing Away and Standard Plug In Front Rigging	\$ 75
	Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used. Seat Pan to Foot Plates: _____ Measured along the length of the Front Rigging.	

Miscellaneous Options		
<input type="checkbox"/>	2630060 Stealth Flip Down Abductor Requires Solid Seat Pan.	<i>E0957 & E1028</i> \$ 495
<input type="checkbox"/>	2630080 Gel Hip Guides Reduces available Seat Width by 2".	<i>E0956 & E1028</i> \$ 375
<input type="checkbox"/>	2630090 Lap Belt Mount	<i>E1028</i> \$ 55
<input type="checkbox"/>	2630150 Ventilator Tray 20" min. Seat Width. Reduces ground clearance. Chair may be unstable when unoccupied. Not compatible with Power Tilt, Foot Operated Wheel Locks.	<i>E1029</i> \$ 295
<input type="checkbox"/>	2630152 Ventilator Bracket Compatible with LTV1 (laptop) ventilator.	<i>E1029</i> \$ 295
<input type="checkbox"/>	2630154 Ventilator Battery Tray 20" min. Seat Width. Reduces ground clearance. Fits U1 Battery only. STF restrictions.	<i>E1029</i> \$ 95
<input type="checkbox"/>	2630160 Clear Lap Tray (Slide On) Not compatible with Curved Armpads, Contour Arm Trough. Seat Widths of 16"-22" only.	<i>E0950</i> \$ 490
<input type="checkbox"/>	2630170 Adhesive Back Hook Strip, 2" x 30" For Cushion mounting.	\$ 10



FUZE T50n

Order Form - USA

Prices in U.S. Dollars. January 1, 2020

On-Chair Seating & Positioning

 Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobility.com/seating

Order Notes

HCPCS codes provided are based on code verification by PDAC or PDG's interpretation of existing code definitions.
Use of HCPCS codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy.

Please send your completed order form by email to info@pdgmobility.com or by fax to 877 323 9093.